T Manuals and	114 + 0	Search Text	DB	Time stamp
L Number	Hits 7	(discover\$4) with device with (attach\$3 or	USPAT;	2004/08/04 14:09
_	,	connect\$3) with fabric	EPO; JPO; DERWENT;	2001,00,01 1100
_	3	(discover\$4) with node with (attach\$3 or connect\$3) with fabric	IBM_TDB USPAT; EPO; JPO; DERWENT;	2004/08/03 11:48
-	17	(discover\$4) same (node or device) same (on-demand or ondemand or (on near demand))	IBM_TDB USPAT; EPO; JPO; DERWENT;	2004/08/03 15:58
	148	(discover\$4) same (node or device) same (reactive)	IBM_TDB USPAT; EPO; JPO; DERWENT;	2004/08/03 15:55
_	7	(discover\$4) same (node or device) same (as-needed or (as near needed) or asneeded)	IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 15:58
_	4	(("5805924") or ("5944798") or ("6199112") or ("5941972")).PN.	USPAT	2004/08/03 14:22
_	0	5872932.pn. and fabric	USPAT; EPO; JPO; DERWENT; IBM TDB	2004/08/03 15:48
_	1	((discover\$4) same (node or device) same (reactive)) and fabric	USPAT; EPO; JPO; DERWENT; IBM TDB	2004/08/04 14:04
_	29	((discover\$4) same (node or device) same (reactive)) and network	USPAT; EPO; JPO; DERWENT;	2004/08/03 15:58
-	484	fabric with (topology or map)	IBM_TDB USPAT; EPO; JPO; DERWENT;	2004/08/03 16:01
-	0	(fabric with (topology or map)) and (as-needed or (as near needed) or asneeded)	IBM_TDB USPAT; EPO; JPO; DERWENT; IBM TDB	2004/08/03 15:59
-	2	(fabric with (topology or map)) and (on-demand or ondemand or (on near demand))	USPAT; EPO; JPO; DERWENT;	2004/08/03 16:01
-	1326	fiber with (topology or map)	IBM_TDB USPAT; EPO; JPO; DERWENT; IBM TDB	2004/08/03 16:01
_	14	(fiber with (topology or map)) and (on-demand or ondemand or (on near demand))	USPAT; EPO; JPO; DERWENT;	2004/08/03 16:11
_	35	(fiber near3 channel) and discover\$4 and (on-demand or ondemand or (on near demand))	IBM_TDB USPAT; EPO; JPO; DERWENT;	2004/08/04 14:06
_	4703	fabric near5 (configur\$6 or reconfigur\$6 or re-configur\$6)	IBM_TDB USPAT; EPO; JPO; DERWENT;	2004/08/04 14:05
	26	(fabric near5 (configur\$6 or reconfigur\$6 or re-configur\$6)) and ((on-demand or ondemand or (on near demand)) or (as-needed or (as near needed) or	IBM_TDB USPAT; EPO; JPO; DERWENT; IBM TDB	2004/08/04 15:54
		asneeded))	TOPI_TOD	

_	7	((fabric near5 (configur\$6 or reconfigur\$6	USPAT;	2004/08/04 15:53
		or re-configur\$6)) and ((on-demand or	EPO; JPO;	
		ondemand or (on near demand)) or	DERWENT;	
		(as-needed or (as near needed) or	IBM_TDB	
		asneeded))) and (discover\$4)		0004/00/05 00-17
-	13	, , , , , , , , , , , , , , , , , , , ,	USPAT;	2004/08/05 09:17
		or re-configur\$6)) and	EPO; JPO;	
		709/220,221,222.ccls.	DERWENT;	
	6000	/ S' AC / / / / / / / / / / / / / / / /	IBM_TDB USPAT;	2004/08/05 09:38
_	6298	(configur\$6 near5 (database or	EPO; JPO;	2004/08/03 09:38
		repositor\$4))	DERWENT;	
			IBM TDB	
	201	((configur\$6 near5 (database or	USPAT;	2004/08/05 09:19
_	201	repositor\$4))) and fabric	EPO; JPO;	2004/00/03 03:13
		Teposicoly4/// and tablic	DERWENT;	
1.			IBM TDB	
_	69	(((configur\$6 near5 (database or	USPAT;	2004/08/05 09:20
	03	repositor\$4))) and fabric) and (online or	EPO; JPO;	2001,00,00 03120
		on-line or awake or wake)	DERWENT;	
		on this of analogue mane,	IBM TDB	
	58	((((configur\$6 near5 (database or	USPAT;	2004/08/05 09:39
		repositor\$4))) and fabric) and (online or	EPO; JPO;	
		on-line or awake or wake)) and ((device or	DERWENT;	
		node or unit or element) near4 configur\$6)	IBM TDB	
-	58	((((configur\$6 near5 (database or	USPAT;	2004/08/05 09:47
		repositor\$4))) and fabric) and (online or	EPO; JPO;	
		on-line or awake or wake)) and ((device or	DERWENT;	
		node or unit or element or peripheral)	IBM_TDB	
		near4 configur\$6)	_	
_	2	discover\$4 with (device or node or	USPAT;	2004/08/05 09:49
		peripheral) with (on-demand or ondemand or	EPO; JPO;	
		(on near demand) or as-needed or (as near	DERWENT;	
		needed) or asneeded)	IBM_TDB	
-	30	configur\$6 with (device or node or	USPAT;	2004/08/05 09:51
		peripheral) with (on-demand or ondemand or	EPO; JPO;	
		(on near demand) or as-needed or (as near	DERWENT;	
	0.3	needed) or asneeded)	IBM_TDB USPAT;	2004/08/05 10:09
_	23		EPO; JPO;	2004/08/05 10:09
		peripheral) same (on-demand or ondemand or (on near demand) or as-needed or (as near	DERWENT;	
		needed) or asneeded)	IBM TDB	
_	51	709/220,221,222.ccls. and (on-demand or	USPAT;	2004/08/05 10:23
		ondemand or (on near demand) or as-needed	EPO; JPO;	2009/00/03 10.23
		or (as near needed) or asneeded)	DERWENT;	
		or (ab fieur ficeacu, or abficeacu,	IBM TDB	
_	2	(("5872932") or ("5689645")).PN.	USPAT	2004/08/05 14:06
_	2	((("5872932") or ("5689645")).PN.) and	USPAT;	2004/08/05 14:07
		configur\$6	EPO; JPO;	
		,, . 	DERWENT;	
			IBM TDB	
_	2	5872932.pn.	USPAT;	2004/08/06 09:27
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	1166	(delete\$3 or remove\$3 or unconfigure\$4 or	USPAT;	2004/08/06 11:57
		un-configure\$4 or de-allocate\$3 or	EPO; JPO;	
		deallocat\$4) with (node or device or	DERWENT;	
		peripheral or unit) with (warn\$4 or	IBM_TDB	
		notif\$7)		
-	632	(delete\$3 or remove\$3 or unconfigure\$4 or	USPAT;	2004/08/06 12:01
		un-configure\$4 or de-allocate\$3 or	EPO; JPO;	
		deallocat\$4) with (node or device or	DERWENT;	
		peripheral or unit) with (warn\$4)	IBM_TDB	0004/00/05
-	112	((delete\$3 or remove\$3 or unconfigure\$4 or	USPAT;	2004/08/06 11:58
		un-configure\$4 or de-allocate\$3 or	EPO; JPO;	
		deallocat\$4) with (node or device or	DERWENT;	
		peripheral or unit) with (warn\$4)) with	IBM_TDB	
	I	(use\$4)	L	

Page 2

_	19	((delete\$3 or remove\$3 or unconfigure\$4 or	USPAT;	2004/08/06 11:58
		un-configure\$4 or de-allocate\$3 or	EPO; JPO; DERWENT;	
		deallocat\$4) with (node or device or peripheral or unit) with (warn\$4)) with	IBM TDB	
		(using or use)	IDN_IDD	
_	5	(delete\$3 or remove\$3 or unconfigure\$4 or	USPAT;	2004/08/06 12:02
		un-configure\$4 or de-allocate\$3 or	EPO; JPO;	
		deallocat\$4) with node with (warn\$4)	DERWENT;	
			IBM_TDB	
-	462	(delete\$3 or remove\$3 or unconfigure\$4 or	USPAT;	2004/08/06 12:19
		un-configure\$4 or de-allocate\$3 or	EPO; JPO;	
		deallocat\$4) with device with (warn\$4)	DERWENT;	
	1057	700/000 001 0001-	IBM_TDB USPAT;	2004/08/06 13:54
_	1357	709/220,221,222.ccls.	EPO; JPO;	2004/08/00 13:34
			DERWENT;	
			IBM TDB	
_	111	709/220,221,222.ccls. and (warn\$4)	USPAT;	2004/08/06 12:21
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	4203	(device or node or peripheral) with (use	USPĀT;	2004/08/06 12:21
		or using or used) with (warn\$4)	EPO; JPO; DERWENT;	
			IBM TDB	
_	78	Reboot same default same configur\$7	USPAT;	2004/08/06 13:34
	, ,	Report Same deliate Same configuration	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	9	1	USPAT;	2004/08/06 13:25
		default same configur\$7)	EPO; JPO;	
			DERWENT;	
	0	reboot with restore with default with	IBM_TDB USPAT;	2004/08/06 13:32
_		configur\$7	EPO; JPO;	2004/00/00 13:32
		Configuration	DERWENT;	
			IBM TDB	
_	30	Reboot with default with configur\$7	USPAT;	2004/08/06 13:49
			EPO; JPO;	
1			DERWENT;	
		()	IBM_TDB USPAT;	2004/08/06 13:51
_	2	(alternate with available with device)	EPO; JPO;	2004/00/00 13.31
		with fist	DERWENT;	
			IBM TDB	
	2	(alternate with available with device)	USPAT;	2004/08/06 13:51
		with database	EPO; JPO;	
			DERWENT;	
	0.1.6	2	IBM_TDB	2004/08/06 13:58
-	316	alternate with available with device	USPAT; EPO; JPO;	2004/00/00 I3:30
			DERWENT;	
			IBM TDB	
_	0	709/220,221,222.ccls. and (alternate with	USPAT;	2004/08/06 13:54
		available with device)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	2004/00/06 12 55
-	3	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	USPAT; EPO; JPO;	2004/08/06 13:55
		with secondary	DERWENT;	
			IBM TDB	
_	196	backup with available with device	USPAT;	2004/08/06 13:58
	-		EPO; JPO;	
			DERWENT;	
			IBM_TDB	0004/00/05 50 55
-	1.4	(backup with available with device) with	USPAT;	2004/08/06 13:58
		(list or database)	EPO; JPO; DERWENT;	
			IBM TDB	
			1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1